according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TEBOIL HYDRAULIC OIL 15

Product code : 0632

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : hydraulic oils

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : LUKOIL Lubricants Europe GmbH,

Suomen sivuliike Öljysatamantie 6 49460 Hamina

Finland

Telephone : +358 201 800 601

Responsible/issuing person : info.product-safety@lukoil.com

1.4 Emergency telephone number

Telephone : Poison Information Centre Finland

open 24 h daily: (09) 471977

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

Precautionary statements : P102 Keep out of reach of children.

FI / EN 1 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

#### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

0.00.11

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Material can create slippery conditions.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Mixture

Hydrocarbons Additives

# **Hazardous components**

Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Registration number				
The classification as a carcin	The classification as a carcinogen need not apply if it can be shown that the substance contains				
less than 3 % DMSO extract	less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in un-				
used lubricating base oils ar					
refractive index method", Ins	refractive index method", Institute of Petroleum, London. This note applies only to certain complex				
oil-derived substances in Pa		.,			
lubricating oils (petroleum),	72623-87-1	Asp. Tox. 1; H304	>= 50 - < 70		
C20-50, hydrotreated neu-	276-738-4	·			
tral oil-based	01-2119474889-13				
distillates (petroleum),	64741-88-4		>= 30 - <= 50		
solvent-refined heavy par-	265-090-8				
affinic	01-2119488706-23				
2,6-di-tert-butylphenol	128-39-2	Skin Irrit. 2; H315	>= 0,1 - < 0,25		
	204-884-0	Aquatic Chronic 1;			
	01-2119490822-33	H410			

For explanation of abbreviations see section 16.

FI / EN 2 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 26.07.2017 Date of first issue: 15.09.2015

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : First aider needs to protect himself.

If inhaled : If breathed in, move person into fresh air.

Move to fresh air in case of accidental inhalation of vapours.

In case of skin contact : Wash skin thoroughly with soap and water or use recognized

skin cleanser.

If on clothes, remove clothes.

In case of eye contact : Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart. Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Obtain medical attention.

When symptoms persist or in all cases of doubt seek medical

advice.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Gastrointestinal discomfort

Stomach/intestinal disorders

Vomiting Pneumonia irritant effects

Risks : May cause eye irritation.

Risk of product entering the lungs on vomiting after ingestion. Aspiration may cause pulmonary oedema and pneumonitis.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Later control for pneumonia and lung oedema.

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

FI / EN 3 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Vapours are heavier than air and may spread along floors.

Vapours may form explosive mixtures with air.

Cool closed containers exposed to fire with water spray.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Extinguishing media - large fires Complete suit protecting

against chemicals

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep people away from and upwind of spill/leak.

Use personal protective equipment. First aider needs to protect himself. Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation, especially in confined areas. The danger areas must be delimited and identified using rele-

vant warning and safety signs.

Refer to section 15 for specific national regulation.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage.

Avoid subsoil penetration. Do not contaminate water.

Prevent product from entering drains.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Soak up with oil absorbent material.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Advice on safe handling : Take care to avoid waste and spillage when weighing, loading

and mixing the product. Avoid formation of aerosol.

FI / EN 4 / 18

according to Regulation (EC) No. 1907/2006



## **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

Use only in area provided with appropriate exhaust ventilation.

Provide exhaust ventilation close to floor level.

Do not get on skin or clothing.

Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against

fire and explosion

To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Keep in a bunded area. Do not smoke.

Hygiene measures : Remove all contaminated clothing under the shower.

Wash contaminated clothing before re-use.

Do not get in eyes.

Avoid contact with skin and clothing.

Fire-fighting class : Fires involving liquids or liquid containing substances. Also

includes substances which become liquid at elevated temper-

atures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep tightly closed.

Keep in a well-ventilated place.

To prevent leaks or spillages from spreading, provide a suita-

ble liquid retention system.

Further information on stor-

age conditions

Keep away from heat and sources of ignition.

Advice on common storage : Do not store together with explosives, gases, oxidizing solids,

products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive prod-

ucts.

Do not store together with oxidizing and self-igniting products. Do not store together with explosives, oxidizing agents, organ-

ic peroxides and infectious products.

Do not store together with acids and ammonium salts.

Other data : Keep away from direct sunlight.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

	Components	CAS-No.	Value type (Form	Control parameters	Basis
FI/	EN		5 / 18		

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

		of exposure)		
lubricating oils (petroleum), C20- 50, hydrotreated neutral oil-based	72623-87-1	HTP-arvot 8h (Mist)	5 mg/m3	FI OEL
distillates (petrole- um), solvent- refined heavy par- affinic	64741-88-4	HTP-arvot 8h (Mist)	5 mg/m3	FI OEL
distillates (petrole- um), solvent- dewaxed heavy paraffinic	64742-65-0	HTP-arvot 8h (Mist)	5 mg/m3	FI OEL
distillates (petrole- um), hydrotreated heavy paraffinic	64742-54-7	HTP-arvot 8h (Mist)	5 mg/m3	FI OEL
distillates (petrole- um), solvent- dewaxed light par- affinic	64742-56-9	HTP-arvot 8h (Mist)	5 mg/m3	FI OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
	No data			
	available			
Remarks:	No data available			

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
Remarks:	No data available	

## 8.2 Exposure controls

# **Engineering measures**

Ensure adequate ventilation, especially in confined areas.

Apply technical measures to comply with the occupational exposure limits.

## Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Material : Viton (R)
Break through time : 480 min
Glove thickness : 0,70 mm

Material : butyl-rubber

FI / EN 6 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

Break through time : 120 min Glove thickness : 0,70 mm

Material : Neoprene
Break through time : 60 min
Glove thickness : 0,60 mm

Remarks : Protective gloves complying with EN 374.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the nu-

merous outside influences (e.g. temperature).

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Skin and body protection : Flame retardant protective clothing

Workers should wear antistatic footwear.

Respiratory protection : Use respirator when performing operations involving potential

exposure to vapour of the product.

Respirator with filter type A

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Suitable respiratory equipment:

Self-contained breathing apparatus (EN 133)

Protective measures : Wear suitable protective equipment.

Avoid contact with the skin and the eyes.

Handle in accordance with good industrial hygiene and safety

practice.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : tan

Odour : No data available

FI / EN 7 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

Odour Threshold : No data available

pH : No data available

pour point : <= -39 °C

Method: ASTM D 97-66

: No data available

Flash point :  $>= 125 \, ^{\circ}\text{C}$ 

Method: ASTM D 92

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0,835 g/cm3 (20 °C)

Method: ASTM D 4052

Bulk density : No data available

Solubility(ies)

Water solubility :  $< 0.01 \text{ g/l} (20 ^{\circ}\text{C})$ 

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not determined

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 3,8 mm2/s (100 °C) Method: ASTM D 445

11,1 mm2/s (50 °C)

Method: ASTM D 445

15 mm2/s (40 °C) Method: ASTM D 445

FI / EN 8 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

> 88 mm2/s (0 °C) Method: ASTM D 445

> 900 mm2/s (-30 °C) Method: ASTM D 445

Flow time : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Self-heating substances : No data available

Impact sensitivity : No data available

Surface tension : No data available

Refractive index : No data available

: No data available

Molecular weight : No data available

Self-ignition :

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product is chemically stable.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with strong acids and oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

# 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

FI / EN 9 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

**Product:** 

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Acute toxicity (other routes of :

administration) No data available

**Components:** 

lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5,53 mg/l

Exposure time: 4 h

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

distillates (petroleum), solvent-refined heavy paraffinic:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Information given is based on data obtained from similar sub-

stances.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Information given is based on data obtained from similar sub-

stances.

2,6-di-tert-butylphenol:

Acute oral toxicity : LD50 (Rat): 8.697 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

**Product:** 

slight irritation

Non persistent irritation

FI / EN 10 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

#### **Components:**

## lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Method: OECD Test Guideline 404

Prolonged skin contact may cause skin irritation and/or dermatitis. Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

#### **Product:**

Non persistent irritation

#### **Components:**

# lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Method: OECD Test Guideline 405

Vapours may be irritating to eyes, nose, throat, and lungs. Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### **Product:**

No known sensitising effect.

#### **Components:**

#### lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Exposure routes: Dermal

Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.

# Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

Germ cell mutagenicity- As-

sessment

No data available

### Components:

# lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Genotoxicity in vitro : Method: OECD Test Guideline 473

Result: negative

: Method: OECD Test Guideline 476

FI / EN 11 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474

Result: negative

Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

Carcinogenicity

**Product:** 

This information is not available.

Carcinogenicity - Assess-

ment

No data available

**Components:** 

lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Method: OECD Test Guideline 451

negative

Method: OECD Test Guideline 453

negative

Carcinogenicity - Assess-

ment

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

**Product:** 

Effects on fertility

This information is not available.

Effects on foetal develop-

ment

: This information is not available.

Reproductive toxicity - As-

sessment

: No data available

**Components:** 

lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Effects on fertility : Method: OECD Test Guideline 421

Result: No adverse effects

Effects on foetal develop-

ment

Method: OECD Test Guideline 421

Result: negative

Reproductive toxicity - As-

sessment

No toxicity to reproduction

FI / EN 12 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

STOT - single exposure

**Product:** 

No data available

STOT - repeated exposure

**Product:** 

No data available

Repeated dose toxicity

**Product:** 

This information is not available.

Repeated dose toxicity -

: No data available

Assessment

**Components:** 

lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Method: OECD Test Guideline 408

Method: OECD Test Guideline 410

Method: OECD Test Guideline 411

Method: OECD Test Guideline 412

No adverse effect has been observed in chronic toxicity tests.

**Aspiration toxicity** 

**Product:** 

May be fatal if swallowed and enters airways.

**Components:** 

lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

May be fatal if swallowed and enters airways.

**Further information** 

**Product:** 

No data available

FI / EN 13 / 18

according to Regulation (EC) No. 1907/2006



## **TEBOIL HYDRAULIC OIL 15**

Version Date of last issue: 15.09.2015 Revision Date: Date of first issue: 15.09.2015 2.0 26.07.2017

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish (Chronic tox-

icity)

No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

No data available

ic toxicity)

**Ecotoxicology Assessment** 

Acute aquatic toxicity No data available

Chronic aquatic toxicity No data available

Toxicity Data on Soil No data available

Other organisms relevant to

the environment

No data available

#### **Components:**

## lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Toxicity to fish LL50 (Fish): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

NOEL (algae): >= 100 mg/l Toxicity to algae

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms NOEL : > 1,93 mg/l

> Exposure time: 10 min Method: DIN 38 412 Part 8

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEL: 10 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

## distillates (petroleum), solvent-refined heavy paraffinic:

Toxicity to algae NOEL (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Information given is based on data obtained from similar sub-

stances.

Toxicity to microorganisms NOEL (Photobacterium phosphoreum): > 1,93 mg/l

Exposure time: 96 h

FI / EN 14 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

Test Type: Respiration inhibition of activated sludge Information given is based on data on the components and

the ecotoxicology of similar products.

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

Physico-chemical removabil- :

itν

The product is insoluble and floats on water.

May be separated mechanically in waste water plants.

Impact on Sewage Treat-

ment

No data available

#### **Components:**

## lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

# 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : No data available

Partition coefficient: n-

octanol/water

: not determined

#### 12.4 Mobility in soil

**Product:** 

Mobility : Should not be released into the environment.

# 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

# 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

Should not be released into the environment.

Do not let product enter drains.

FI / EN 15 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

#### **Components:**

#### lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Additional ecological infor-

mation

: Information given is based on data on the components and

the ecotoxicology of similar products.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

13 01 10\*

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

15 01 10\*

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks : not required

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

Directive 1999/13/EC on the limitation of emissions of : not required under normal use volatile organic compounds

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

FI / EN 16 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

Not applicable

#### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity
Asp. Tox. : Aspiration hazard
Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Other information : Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

FI / EN 17 / 18

according to Regulation (EC) No. 1907/2006



# **TEBOIL HYDRAULIC OIL 15**

Version Revision Date: Date of last issue: 15.09.2015 2.0 26.07.2017 Date of first issue: 15.09.2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FI / EN 18 / 18